

## Supplementary information

### *Dendrochronological information*

#### *Series H*

Series H consisted of 21 rings spanning AD 1730–1750 (220–200 cal BP) inclusive from a series of core samples taken from structural timbers in the dovecote, Breakspear House, Harefield, Greater London, England (51.60°N, 1.56°W), Great Bidlake Manor House, Bridestowe, Devon, England (50.68°N, 4.13°W), and Bretby Hall, Derbyshire, England (52.80°N, 1.56°W). The timber measured by each participating laboratory is indicated in Table 2.

All the samples were prepared previously for measurement and tree-ring analysis by polishing with a belt sander using progressively finer belts down to a fineness of 400 grit, and the annual growth rings were marked out. Dissection was undertaken by Alison Arnold and Robert Howard at the Nottingham Tree-Ring Dating Laboratory. Prior to sub-sampling, the cores were checked against the tree-ring width data to ensure that the sample contained the required rings. Once this was determined, the selected annual growth rings were split from the rest of the sample using a chisel or scalpel blade. Each sample consisted of a complete annual growth ring, including both earlywood and latewood. The sub-sample was then weighed and placed in a labelled bag.

The tree-ring dating of the roof of the dovecote at Breakspear House (HFD-) has been fully reported by Arnold and Howard (2011a). Core samples from 11 oak timbers were obtained from this roof, of which ten had sufficient (> 50) rings to proceed with analysis. These samples were prepared by sanding and polishing and their growth-ring widths were measured to a precision of 0.01 mm. The data of the measured samples were compared with each other using the Litton/Zainodin grouping procedure (Laxton *et al.* 1988; Litton and Zainodin 1991), allowing a single group of nine cross-matching ring-width series to be formed at a particularly high minimum value of  $t=8.0$ . The  $t$ -values following Baillie and Pilcher (1973) between these series are provided in Appendix Table S1; a  $t$ -value above 10 is indicative of potential same-tree derivation and, clearly, these timbers all derive from a single, discrete unit of woodland. These series were combined at their indicated offset positions to form HFDCSQ01, a site chronology with an overall length of 75 rings. The site

chronology is dated as spanning AD 1695–1769 (Appendix, Table S2). The raw ring-width data of all the measured samples from Breakspear House are provided by Arnold and Howard (2011a, 13–15).

The tree-ring dating of the manor house, stable, and threshing barn at Great Bidlake (GBD-) has been fully reported by Arnold and Howard (2011b). Core samples from 60 pine timbers and 59 oak timbers were obtained from the roofs, ceilings, and floors of these buildings, of which 50 pine samples and 43 oak samples had sufficient (> 50) rings for further analysis. These samples were prepared by sanding and polishing and their growth-ring widths were measured to a precision of 0.01 mm. The data of the 43 measured oak series were compared with each other using the Litton/Zainodin grouping procedure (Laxton *et al.* 1988; Litton and Zainodin 1991), resulting in 27 samples forming six groups at a minimum value of  $t=5.2$ . All the samples for radiocarbon dating were obtained from the second of these groups, site chronology GBDASQ02, which contains nine samples. The  $t$ -values following Baillie and Pilcher (1973) between these ring-width series are provided in Appendix, Table S3; a  $t$ -value above 10 is indicative of potential same-tree derivation. These series were combined at their indicated offset positions to form GBDASQ02, a site chronology with an overall length of 92 rings. The site chronology is dated as spanning AD 1681–1772 (Appendix, Table S4). The raw ring-width data of all the measured samples from Great Bidlake are provided by Arnold and Howard (2011b, 65–82).

The tree-ring dating of Bretby Hall has been fully reported by Howard *et al.* (1999). Core samples from 32 oak timbers were obtained from the building, all of which had sufficient (> 50) rings for further analysis. These samples were prepared by sanding and polishing and their growth-ring widths were measured to a precision of 0.01 mm. The data of the 32 measured series were compared with each other using the Litton/Zainodin grouping procedure (Laxton *et al.* 1988; Litton and Zainodin 1991), resulting in 30 samples forming four groups at a minimum value of  $t=4.5$ . All the samples for radiocarbon dating were obtained from the second of these groups, site chronology BRTASQ02, which contains eight samples. The  $t$ -values following Baillie and Pilcher (1973) between these ring-width series are provided in Appendix Table S5. A  $t$ -value above 10 is indicative of potential same-tree derivation and these timbers all derive from a single, discrete unit of woodland. These series were combined at their indicated offset positions to form BRTASQ02, a site chronology with

an overall length of 121 rings. The site chronology is dated as spanning AD 1685–1805 (Appendix, Table S6). The raw ring-width data of all the measured samples from Bretby Hall are provided by Howard *et al.* (2009).

#### *Series A*

Series A consisted of 21 rings spanning AD 280–300 (1670–1650 cal BP) inclusive from a single waterlogged oak (Q451) recovered from Allistragh, Co Armagh, Northern Ireland (54.23°N, 6.40°W).

Sample Q451 was prepared for both measurement and tree-ring analysis in the early 1970s by polishing with a rotary sander using progressively finer sanding paper down to a fineness of 600 grit, and each tenth ring had been marked. Dissection was undertaken by David Brown, Dendrochronology Laboratory, Queen's University Belfast. A 20mm x 40mm section of the required annual growth rings was removed from the bulk sample. This block was cleaned on both sides using a scalpel blade. The selected annual growth rings were marked on both sides to define the annual growth rings. The selected rings were removed from the rest of the sample using a cleaned Stanley knife blade and a scalpel blade. Each sample consisted of a complete annual growth ring, including both earlywood and latewood. The sub-sample was then weighed and placed in an Eppendorf tube and this was placed into a labelled bag.

The site master chronology consists of eight samples (Appendix, Table S7). These when matched and averaged produce the Allistragh Master Chronology which is 299 years long and dates from AD 39 to AD 337 (Appendix, Table S8). Baillie makes reference to the Allistragh site chronology before the absolute Belfast long chronology was constructed and dated (Baillie 1982, 179).

Timbers from Allistragh were originally waterlogged, but have subsequently been allowed to dry out naturally. The remainder of the sample is stored in the Dendrochronology Laboratory, School of Natural and Built Environment, Queen's University, Belfast. Ring-width data for all the measured samples from Allistragh can be found at [http://www.chrono.qub.ac.uk/bennett/dendro\\_data/dendro.html](http://www.chrono.qub.ac.uk/bennett/dendro_data/dendro.html).







Table S6. Results of the cross-matching of site sequence BRTASQ02 and relevant reference chronologies when the first-ring date is AD 1695 and the last-ring date is AD 1769 (t-values after Baillie and Pilcher (1973)).

Reference chronology	Span of chronology	t-value	Reference
Avoncroft Museum	AD 1675–1754	7.2	Howard <i>et al.</i> 1994
Winchester modern, Hampshire	AD 1635–1972	6.3	Barefoot 1975
Great Barn, Old Basing, Hampshire	AD 1684–1788	6.2	Bridge 1996
St Firmin Church, Thurlby, Lincolnshire	AD 1599–1792	5.9	Arnold and Howard 2010
Reading Abbey waterfront, Berkshire	AD 1708–1766	5.6	Groves <i>et al.</i> 1997
Stone House Prebend, Derbyshire	AD 1640–1761	5.6	Arnold <i>et al.</i> 2014
Church of St Swithin, Kirklington, Notts	AD 1567–1757	5.5	Arnold <i>et al.</i> 2016
Stoneleigh Abbey, Warwickshire	AD 1646–1813	5.2	Howard <i>et al.</i> 2000
Granary, Old Basing, Hampshire	AD 1691–1790	5.1	Bridge 1996

Table S7. Matrix of t-values (Baillie and Pilcher 1973) for components of the site chronology Allistragh (- = t-values less than 3.00).

	Q449	Q450	Q451	Q452	Q453	Q454	Q455	Q456
Last measured ring (AD)	337	270	331	321	220	252	229	281
Q449		7.8	5.9	3.9	-	4.7	4.8	7.8
Q450			3.8	3.4	3.6	4.2	9.1	4.3
Q451				4.6	-	3.3	-	4.9
Q452					-	5.0	4.6	3.0
Q453						4.7	4.5	-
Q454							4.6	4.5
Q455								-
Q456								

Table S8. Results of the cross-matching of Allistragh site chronology and relevant reference chronologies when the first-ring date is AD 39 and the last-ring date is AD 337 (t-values (Munro 1984): \*\*\* extremely significant match; \*\* very significant match; \* significant match; nsm non-significant match).

Reference chronology	Span of chronology	t-value	Reference
Mill Lough, Co. Fermanagh	13 BC – AD 551	7.28***	Baillie 1982
Ballinderry, Co. Antrim	339 BC – AD 706	5.74***	Brown & Baillie 2012
Teeshan, Co. Antrim	AD 84 – AD 579	5.00***	Baillie 1982
Balloo, Co. Down	AD 17 – AD 312	4.88**	Baillie 1982
Moynagh Lough, Co. Meath	AD 209 – AD 593	4.11nsm	Bradley 1983
Oxford Island, Co. Armagh	AD 265 – AD 492	3.96*	Baillie 1982
Ross Lough, Co. Fermanagh	AD 209 – AD 538	3.72nsm	Baillie 1982

Table S9. Ring widths of the oak *Gaedheim 5* (Germany, River Main, 50.04°N, 10.31°E); Subfossil Oak (*Quercus* sp.); 161 Rings, BC 5773–5613 (7722 – 7562 cal BP)

Tree ring width [mm/100]


262	348	310	319	295	243	481	433	486	319
462	381	700	619	514	305	281	414	395	438
524	524	548	505	352	376	376	276	281	305
452	400	295	319	314	181	195	367	486	357
300	305	333	252	248	338	281	210	205	319
148	129	195	214	248	233	200	186	243	200
248	295	281	257	257	252	400	257	224	214
248	324	238	267	305	200	243	276	248	348
238	290	333	267	205	252	357	310	281	371
267	167	224	176	257	262	229	376	333	229
224	262	200	195	300	224	219	186	219	229
210	200	229	281	262	233	176	186	195	252





## Radiocarbon measurements

Radiocarbon measurements of the individual laboratories are shown in Figure S1 on top of the box plots (see Figure 1).






Figure S1: Measurements from the individual laboratories plotted over the box plot and the mean value (see also Figure 1).

Arnold, A and Howard, R, 2010 *St Firmin Church, Thurlby, Lincolnshire: Scientific Dating Report – Tree-ring Analysis of the Bellframe and Tower*, English Heritage Research Department Report Series, **72/2010** (<https://doi.org/10.5284/1030159>)

Arnold, A J, and Howard, R E, 2011a *The Dovecote, Breakspear House, Breakspear Road North, Harefield, Hillingdon, London*, English Heritage Research Department Report Series, **37/2011** (<https://doi.org/10.5284/1033689>)

Arnold, A J, and Howard, R E, 2011b *Great Bidlake, Bridestowe, Devon: tree-ring analysis of timbers*, English Heritage Research Department Report Series, **13/2011** (<https://doi.org/10.5284/1033842>)

Arnold, A J, Howard, R E, and Litton, C D, 2003 *Tree-ring analysis of timbers from Clothall Bury Farmhouse, near Baldock, Wallingford Parish, Hertfordshire*, English Heritage Centre for Archaeology Report, **87/2003**

- Arnold, A, Howard, R, and Litton, C, 2006 *Exeter Cathedral, Exeter, Devon, Tree-ring analysis of timbers from the roof of the Chapel of St John The Baptists*, English Heritage Research Department Report Series, **62/2006**
- Arnold, A, Howard, R, and Litton, C, 2014 List 262 - Dates from Nottingham Tree-Ring Dating Laboratory, *Vernacular Architecture*, **45**, 108–15 (<https://doi.org/10.1179/0305547714Z.00000000029>)
- Arnold, A, Howard, R, Dawson, G, and Brooke, C, 2016 List 284 – Nottinghamshire Bellframes, *Vernacular Architecture*, **47**, 84–6 (<https://doi.org/10.1080/03055477.2016.1234300>)
- Baillie, M G L, 1982 *Tree-Ring Dating and Archaeology*. Croom Helm, 1982.
- Baillie, M G L, and Pilcher, J R, 1973 A simple cross-dating program for tree-ring research, *Tree-Ring Bulletin*, **33**, 7–14 (<http://hdl.handle.net/10150/260029>)
- Barefoot, A C, 1975 A Winchester dendrochronology for 1635-1972 AD – its validity and possible extension, *Journal of the Institute of Wood Science*, **7**, 25–32
- Bradley, J, 1983 Excavations at Moynagh Lough, Co. Meath 1980-81. *Riocht na Midhe* **7(2)**, 12-32.
- Bridge, M C, 1996 Tree-ring dates from London Guildhall University: list 69, *Vernacular Architecture*, **27**, 91–2 (<https://doi.org/10.1179/vea.1996.27.1.78>)
- Brown, D M and Baillie M G L, 2012 Confirming the existence of gaps and depletions in the Irish oak tree-ring record. *Dendrochronologia*, **30**, 85–91.
- Esling, J, Howard, R E, Laxton, R R, Litton, C D, and Simpson, W G, 1989 List 29 no 1c - Nottingham University Tree-Ring Dating Laboratory: Results, *Vernacular Architecture*, **20**, 39–41 (<https://doi.org/10.1179/vea.1989.20.1.39>)
- Friedrich, M., Remmele, S., Kromer, B., Hofmann, J., Spurk, M., Kaiser, K. F., Orsel, C. & Küppers, M. The 12,460-year Hohenheim oak and pine tree-ring chronology from central Europe - A unique annual record for radiocarbon calibration and paleoenvironment reconstructions. *Radiocarbon* **46**, 1111–2, (<https://doi.org/10.1017/S003382220003304X>).
- Groves, C, 1993 *Tree-ring analysis of a wood assemblage from Tilbury Fort, Essex, 1988–89*, Ancient Monuments Laboratory Report, **20/93**
- Groves, C, Hiram, J, and Pelling-Fulford, F, 1997 Dendrochronology, in *Excavations on Reading Waterfront sites, 1979-1988* (J W Hawkes and P J Fasham), Wessex Archaeology Report, **5**, 64–70
- Howard, R E, Laxton, R R, Litton, C D, and Simpson, W G, 1994 List 57 nos 1, 2, 5 – Nottingham Tree-Ring Dating Laboratory Results, *Vernacular Architecture*, **25**, 36–40 (<https://doi.org/10.1179/vea.1994.25.1.25>)
- Howard, R E, Laxton, R R, and Litton, C D, 1999 Tree-ring analysis of timbers from Bretby Hall, Bretby, Derbyshire, Ancient Monuments Laboratory Report, **43/1999**
- Howard, R E, Laxton, R R, and Litton, C D, 2000 *Tree-ring analysis of timbers from the buildings and living trees at Stoneleigh Abbey, Stoneleigh, Warwickshire*, Ancient Monuments Laboratory Report, **80/2000** (<https://doi.org/10.5284/1038952>)

- Howard, R, Litton, C, Arnold, A, Tyers, C, 2006 *Tree-ring analysis of timbers from Warleigh House, Tamerton Foliot, Bickleigh, South Hams, near Plymouth, Devon*, English Heritage Research Department Report Series, **38/2006** (<https://doi.org/10.5284/1037475>)
- Laxton, R R, Litton, C D, and Zainodin, H J, 1988 An objective method for forming a master ring-width sequence *PACT*, **22**, 25–35
- Litton, C D, and Zainodin, H J, 1991 Statistical models of dendrochronology, *Journal of Archaeological Science*, **18**, 29–40 ([https://doi.org/10.1016/0305-4403\(91\)90036-O](https://doi.org/10.1016/0305-4403(91)90036-O))
- Miles, D W H, 2001 *The Tree-ring Dating of the Skeleton Barn, Oakhouse Farm, Hampstead Norreys, Berkshire*, English Heritage Centre for Archaeology Report, **16/2001**
- Miles, D W H, 2007 *HM Tower of London (TOL99 & TOL100), London Borough of Tower Hamlets: Scientific Dating Report – the Tree-Ring Dating of the White Tower*, English Heritage Research Department Report Series, **35/2007**
- Miles, D H, Worthington, M J, and Bridge, M C, 2004 Tree-ring dates for Somerset 6: List 156, *Vernacular Architecture*, **35**, 108–9 (<https://doi.org/10.1179/vea.2004.35.1.73>)
- Mills, C M, 1988 *Dendrochronology of Exeter and its applications*, unpubl PhD thesis, Sheffield Univ
- Munro, M A R, 1984 An improved algorithm for crossdating tree-ring series, *Tree Ring Bulletin*, **44**, 17–27
- Tyers, I, 2001 *Tree-ring analysis of further buildings from the Clarendon Estate, Wiltshire*, ARCUS Rep, **429b**
- Tyers, I and Groves, C, 1999 Tree-ring dates from Sheffield University: list 104, *Vernacular Architecture*, **30**, 113–28 (<https://doi.org/10.1179/vea.1999.30.1.113>)